

Change detail Recommended Qualification Structure for Interior Systems (Construction) Level 2

This structure has been recommended by employers and stakeholders from the above occupational area for organisations to form the basis of academic capability and competence outcomes. Qualifications with a competence outcome at the above level must have units derived from the following National Occupational Standards (NOS) and consist of the mandatory groups as stated for the individual option route.

MANDATORY (all option routes)

VR641 v2 Conform to general workplace health, safety and welfare

VR642 v1 Conform to productive work practices

VR643 v1 Move, handle or store resources

PLUS ONE OF THE FOLLOWING OPTIONAL ROUTES

Ceiling Fixing Option Route (Total 4)

Mandatory

VR125 v2 Install suspended ceiling systems

Additional (not compulsory)

VR356 v2 Erect fire resisting ceiling systems

Modular Demountable Partitioning Option Route (Total 4)

Mandatory

VR127 v2 Install and relocate modular demountable partition systems

Operable Partition Systems Option Route (Total 4)

Mandatory

VR769 v1 Install and relocate operable partition systems

Glass Partition/Internal Screen Option Route (Total 4)

Mandatory

VR770 v1 Install and relocate glass partition/internal screen systems

Dry Lining – Fixing Option Route (Total 5)

Mandatory

VR129 v3 Install dry lining systems

VR130 v3 Install plasterboard linings

Dry Lining – Boarder Option Route (Total 4)

Mandatory

VR130 v3 Install plasterboard linings

Dry Lining – Finishing Option Route (Total 4)

Mandatory

VR618 v2 Finish dry lining walls and ceilings

Dry Lining – Fire Resistant Walls Option Route (Total 4)

Mandatory

VR355 v3 Erect fire resisting walls and wall linings

Access Flooring Option Route (Total 4)

Mandatory

VR133 v2 Install, remove and relocate raised access flooring systems

Cavity Barrier Installation Option Route (Total 4)

Mandatory

VR126 v2 Install cavity barriers to floors and ceilings

Acoustic Floor Installation Option Route (Total 4)

Mandatory

VR620 v2 Install acoustic flooring

Unit endorsements for Interior Systems Level 2

Where industry requests; qualifications can be endorsed to show an option route and the type of resources and/or activities that relate to the unit. Listed below are the endorsements that can apply for units derived from the following NOS.

NOS	Endorsement
VR130	One of the following: Tacking Direct bonding (dot and dab)
VR618	Three of the following endorsements required Tape and joint finishes Form internal and external angles Priming/protection topcoat Skim plaster finishes

Note: Where industry requests an Awarding Organisation to further endorse a unit, the Awarding Organisation must first seek approval from the Standards Setting Body to ensure the endorsement is appropriate to the unit.